

McCall

BOOK 87

Designs in
8 ply
Speediknit,
Argyll,
Celeste.

Credits . . .

Location: St. Leonard's Olympic Bowl.

Accessories: Sportscraft Sportswear of Melbourne, for skirts and slacks.

Ten-pin bowling, Australia's new and truly all-family sport, is catching on fast . . . and Villawool again sets the fashion ball rolling. Here are basic, traditional styles for lawn bowlers, and top-scoring styles for the man, woman, boy and girl ten-pin bowler. Hope you'll like them . . .

Front Cover: A most useful two-colour cardigan with raglan-style sleeves. (See Design 1, this page.) Her cardigan features set-in sleeves and distinctive shawl collar. (Design 2, page 3.)

Back Cover: (Extreme left.) Be up in this bowler's V-neck raglan sweater. (Design 7, page 12.)

Two figures on right: A matching pair of traditional-style raglan cardigans. (See Designs 8 and 9 on page 14.)

NOTE: Every effort has been made to have the knitting directions contained in this book accurate and complete. However, we cannot accept responsibility for variance of individual knitters or the use of yarn other than specified.

ABBREVIATIONS: See page 15.

1 MAN'S RAGLAN CARDIGAN WITH CONTRAST COLOUR SLEEVES *(See front cover)*

MATERIAL: Villawool **SPEEDIKNIT**, 10 (11; 12; 13) balls Main Colour (M.C.) 11 (12; 13; 14) balls Contrast Colour (C.C.). Villawool **ARGYLL**, 10 (11; 12; 13) balls Main Colour (M.C.) 11 (12; 13; 14) balls Contrast Colour (C.C.). Villawool **CELESTE**, 8 (9; 10; 11) balls Main Colour (M.C.) 9 (10; 11; 12) balls Contrast Colour (C.C.). 1 pr. No. 7 and 9 needles. 6 buttons.

MEASUREMENTS: To fit Chest 38 (40; 42; 44) ins. Length—26½ ins. (all sizes). Sleeves—19 ins. (all sizes) ✓

TENSION: 5 sts. to 1 inch.

BACK: Using No. 9 needles and C.C. cast on 102 (108; 114; 120) sts. and work in rib of K.1, P.1 for 13 rows. Change to No. 7 needles M.C. and stocking stitch. Cont. until work measures 16½ ins. (or length required) ending on a purl row.

Shape Raglans: Cast off at beg. of next and every row 3 sts. (all sizes) twice, 1 stitch 68 (72; 76; 80) times, 28 (30; 32; 34) sts. once.

LEFT FRONT: Using No. 9 needles and C.C. cast on 50 (53; 56; 59) sts. and work in single rib for 13 rows. Change to No. 7 needles M.C., and stocking stitch. Cont. until work measures 16½ ins. ending on a purl row.

Shape Raglan: Cast off at beg. of next and alt. rows 3 sts. (all sizes) once, 1 stitch 8 times (all sizes) (39; 42; 45; 48 sts.) ending on a knit row.

Shape Raglan and Neck edge: Decr. 1 stitch on neck edge at beg. of next and every 3rd row until 13 decreases altog. **at the same time**, on raglan edge cast off 1 stitch every 2nd row 26 (29; 32; 35) times.

RIGHT FRONT: Work as Left Front in reverse.

SLEEVES: Using No. 9 needles and C.C. cast on 56 (60; 64; 68) sts. and work in single rib for 3 ins. Change to No. 7 needles, stocking stitch and cont. in C.C. Incr. 1 stitch each end of the 7th and every 8th row thereafter until 84 (88; 92; 96) sts. Cont. until sleeve measures 19 ins. (or length required) ending on a purl row.

Shape Raglan: Cast off at beg. of next and every row 3 sts. (all sizes) twice, 1 stitch 68 (72; 76; 80) times, 10 sts. (all sizes) once.

TO FINISH OFF: Press work on the wrong side. Using a small back stitch sew up the four raglan seams. Press seams. Sew up side and sleeve seams. Press seams. Mark off 6 buttonholes on Left Front, the first one $\frac{3}{4}$ " from lower edge, the last one $\frac{1}{2}$ " from beg. of neck shaping and 4 others evenly spaced between.

RIBBED BAND: Using No. 9 needles and C.C. cast on 11 sts.

1st row—(right side of work) Sl.1 (P.1, K.1) rep. to end.

2nd row—Sl.1 (K.1, P.1) rep. to end. Rep. these 2 rows inclusive.

To make buttonholes:

1st row—Rib 4 sts. cast off 3 sts. ribwise, rib 4 sts.

2nd row—Rib and cast on 3 sts. over cast off 3 sts.

Make 6 buttonholes spaced to match those marked off. Cont. until band fits all around front edges and neck slightly stretched. Cast off ribwise.

Neatly attach band to these edges. Sew buttons on right side.



2 LADY'S JACKET WITH SHAWL COLLAR

(See front cover)

MATERIAL: 28 (29; 30; 31; 32) balls Villawool **SPEEDIKNIT** or 26 (27; 28; 29; 30) balls Villawool **CELESTE** or 28 (29; 30; 31; 32) balls Villawool **ARGYLL**. 1 pr. No. 7, 8 and 9 needles. 5 Buttons.

MEASUREMENTS: To fit loosely Bust—32 (34; 36; 38; 40) ins. Length—24 ins. (all sizes). Sleeve—17 ins. (all sizes).

TENSION: 5 sts. to 1 inch.

BACK: Using No. 8 needles cast on 84 (89; 94; 99; 104) sts. and work 9 rows in stocking stitch. Knit into the back of every stitch to end for fold of hem row. On the next row change to No. 7 needles, beg. with a knit row and cont. in stocking stitch. Cont. until 28 rows above fold of hem row ending on a purl row.

Incr. 1 stitch each end of the next and every 14th row thereafter until 90 (95; 100; 105; 110) sts. Cont. until work measures 15½ ins. (or length required) from fold of hem row, ending on a purl row.

Shape Armholes: Cast off at beg. of next and every row 3 (4; 5; 6; 7) sts. twice, 1 stitch 12 times (all sizes). Cont. on rem. 72 (75; 78; 81; 84) sts. until armholes measure 7½ (8; 8; 8; 8) ins. on the straight, ending on a purl row.

Shape Shoulders: Cast off at beg. of next and every row 5 sts. 6 times (all sizes), 3 (4; 5; 6; 7) sts. twice. Proceed on rem. 36 (37; 38; 39; 40) sts. for 14 rows.

Shape Back Collar:

Next row—K.2, knit into the back of the horizontal loop between, knit to last 2 sts., incr. as before, K.2.

Work 5 rows. Rep. last 6 rows until 50 (51; 52; 53; 54) sts. ending on a purl row. Knit 1 row.

Next row—Purl.

Next row—K.2, Sl.1, K.1, p.s.s.o., knit to last 4 sts., K.2 tog., K.2, work 5 rows.

Rep. last 6 rows until 36 (37; 38; 39; 40) sts. rem. ending on decr. row. Work 14 rows and cast off loosely purlwise on the next row.

POCKET LININGS (2): Using No. 7 needles cast on 32 sts. (all sizes) and work 42 rows in stocking stitch. Leave these sts. on holder.

LEFT FRONT: Using No. 8 needles cast on 40 (43; 45; 48; 50) sts. and work 9 rows in stocking stitch. On the next row knit into the back of every stitch to end for fold of hem row. Change to No. 7 needles, beg. with a knit row and cont. in stocking stitch. Cont. until 28 rows. Incr. 1 stitch at beg. of next and every 14th row thereafter 3 times altog. **At the same time**, when 50 rows have been worked from fold of hem row make

Pocket Opening:—

Next row—K.3 (4; 5; 6; 7) sts., slip next 32 sts. onto a holder, K.32 sts. of pocket lining, K.8 (10; 11; 13; 14) sts.

Cont. across all sts., and incr. 1 stitch at beg. of the 14th row from last incr. (43; 46; 48; 51; 53 sts.) Cont. until front measures the same as Back to armhole ending at side edge.

Shape Armhole and Neck:

Next row—Cast off 3 (4; 5; 6; 7) sts., knit to last 3 sts., Sl. 1, K.1, p.s.s.o., K.1.

Next row—Purl.

3. Score with these look-alike sweaters with saddle shoulder treatment . . . Choose either the crew or V-neck (Turn to page 5.)



On the next and alt. rows cast off 2 sts. (all sizes) once, 1 stitch 7 (8; 8; 9; 9) times, **at the same time** on neck edge decr. 1 stitch every 4th row (13 times) (all sizes) and 18 (19; 20; 21; 22) sts. rem. Cont. until armhole measures same as Back ending at armhole edge.

Shape Shoulder: Cast off at beg. of next and alt. rows 5 sts. 3 times (all sizes), 3 (4; 5; 6; 7) sts. once.

RIGHT FRONT: Work as Left Front reversing all shapings, but working neck edge decrs. as K.1, K.2 tog. instead of Sl.1, K.1, p.s.s.o., K.1.

SLEEVES: Using No. 9 needles cast on 48 (50; 52; 54; 56) sts. and work in rib of K.1, P.1, for 4½ ins. and evenly incr. to 52 (54; 56; 58; 60) sts. on the last row. Change to No. 7 needles and stocking stitch. Incr. 1 stitch each end of the 3rd and every 10th (9th; 8th; 7th; 7th) rows until 70 (74; 78; 82; 86) sts. Cont. until work measures 19½ ins. (or length required) ending on a purl row (this allows cuff to be folded in half). Cast off at beg. of next and every row 3 (4; 5; 6; 7) sts. twice, 2 sts. 10 times (all sizes), 1 stitch 18 times (all sizes), 3 sts. 4 times (all sizes), 14 (16; 18; 20; 22) sts. once.

LEFT FRONT BAND AND COLLAR: Using No. 7 needles cast on 25 sts. and work in stocking stitch.

Cont. until work measures 15 ins. ending on a purl row.

Next row—K.10, knit into back of horizontal loop between, K.5, knit into back of horizontal loop between, K.10. Next row—Purl.

Cont. to incr. 1 stitch (by knitting up the horizontal loop between) each side of centre 5 sts. every 2nd row until 71 sts. Cont. until work measures the same as Left Front from fold of hem row to shoulder. Cast off loosely.

RIGHT FRONT BAND AND COLLAR:

Mark off 5 buttonholes on Left Band, the first one ¾ of an inch from beg. and the 5th one on the last 2 rows before the beg. of collar shaping, and 3 others evenly spaced between.

Make Buttonhole as follows:—K.5, cast off 3 sts., K.9, cast off 3 sts., K.5. On the next row cast on 3 sts. over cast off 3 sts. Work Band exactly the same as Left Front Band with the addition of 5 buttonholes to correspond with those marked off on Left Band.

POCKET TOPS: Using No. 7 needles knit the 32 sts. on holder. Purl 1 row. Knit 1 row.

Next row—Knit into the back of every stitch to end for fold of facing row.

Beg. with a knit row and work 4 rows in stocking stitch. Cast off loosely.

TO MAKE UP: Press work on the wrong side. Fold pocket tops at fold of facing row to inside and slip stitch down. Sew down pocket linings. Using a small back stitch sew up shoulder, side and sleeve seams but flat seam cuffs. Press seams. Fold up to inside the hem and slip stitch down. Neatly join the cast off edges of collar to the sides of back collar. Press. Seam front bands and collar edge to front edges. Fold in half to inside and slip stitch down. Neatly sew round buttonholes. Press garment. Sew on buttons. Fold cuffs in half to right side.



3 MATCHING SWEATERS WITH V OR CREW NECK AND SADDLE SHOULDER

(See page 4)

MATERIAL:

V Neck Style: 20 (21; 25; 26; 27) balls Villawool **SPEEDIKNIT**, or 19 (20; 24; 25; 26) balls Villawool

ARGYLL, or 17 (18; 19; 20; 21) balls Villawool **CELESTE**.

Crew Neck Style: 22 (23; 27; 28; 29) balls Villawool **SPEEDIKNIT**, or 21 (22; 26; 27; 28) balls Villawool

ARGYLL, or 18 (19; 21; 22; 23) balls Villawool **CELESTE**.

1 pr. No. 7 and 9 needles. 1 set No. 9 needles.

MEASUREMENTS: To fit Chest 34 (36; 38; 40; 42) ins. Length—23½ ins. for Her. 27 ins. for Him. Sleeve—17½ ins. for Her. 19½ ins. for Him.

TENSION: 5 sts. to 1 inch.

BACK: **Using No. 9 needles cast on 97 (103; 109; 115; 121) sts. and work firmly in rib of K.1, P.1, for 3 ins. Change to No. 7 needles and stocking stitch. Cont. until work measures 14½ ins. for Her, 16½ ins. for Him (or length required) ending on a purl row.

Shape Armholes: Decr. 1 stitch each end of every row until 81 (85; 93; 97; 101) sts. rem.** Cont. until work measures 21½ ins. for Her, 25 ins. for Him, ending on a purl row.

Shape Shoulders: Cast off at beg. of next and every row 9 sts. (all sizes) twice, 7 (8; 9; 10; 11) sts. 4 times, 4 sts. (all sizes) twice, 27 (27; 31; 31; 31) sts. once.

FRONT FOR V NECK: Work as Back from ** to ** ending on a purl row.

Divide for V Neck: K.37 (39; 43; 45; 47) sts., K.2 tog., K.1, turn, leave rem. sts. on needle.

Cont. on these 39 (41; 45; 47; 49) sts., decr. 1 stitch as before 1 stitch in from neck edge every 2nd row 7 times, then, every 3rd row until 23 (25; 27; 29; 31) sts. rem. Cont. until armhole measures same as back armhole ending at side edge. Cast off on the next and alt. row 9 sts. (all sizes) once, 7 (8; 9; 10; 11) sts. twice. Ret. to rem. sts., slip centre 1 stitch onto holder, join in yarn at neck edge and K.1, Sl.1, K.1, p.s.s.o. (instead of K.2 tog.) knit to end. Work to correspond with other side in reverse.

FRONT FOR CREW NECK: Work as Back from ** to **. Cont. until work measures 18½ ins. for Her, 21½ ins. for Him ending on a purl row.

Shape Neck: K.32 (34; 37; 39; 41) sts., cast off centre 17 (17; 19; 19; 19) sts., K.32 (34; 37; 39; 41) sts. Cont. on last group of sts. and decr. 1 stitch on neck edge on next 4 rows, then every 2nd row until 23 (25; 27; 29; 31) sts. rem. Cont. until armhole measures same as Back ending at armhole edge.

Shape Shoulder: Cast off on the next and alt. rows 9 sts. (all sizes) once, 7 (8; 9; 10; 11) sts. twice.

Ret. to rem. sts., join in yarn at neck edge and finish to correspond with other side in reverse.

RIGHT SLEEVE: *Using No. 9 needles cast on 50 sts. for Her, 58 sts. for Him, and work firmly in rib of K.1, P.1, for 3½ ins. Change to No. 7 needles and stocking stitch. Incr. 1 stitch each end of next and foll. 6th row until 62 sts. for Her, 72 sts. for Him, then every 4th row until 78 sts. for Her, 100 sts. for Him, then, every 2nd row until 86 sts. for Her, 108 sts. for Him. Cont. until sleeve measures 17½ ins. for Her, 19½ ins. for Him (or length required) ending on a purl row. Cast off at beg. of next and every row 1 stitch 8 times for Her, 1 stitch 10 times for Him, 6 sts. 8 times for Her, 8 sts. 8 times for Him then 6 sts. for Her and 8 sts. for Him twice. Cont. on rem. 18 sts. for 4½ (4¾; 5; 5½; 5¾) ins. * ending on a purl row. Next row—Cast off 8 sts., K.10 sts. Cont. on last 10 sts., P.8, P.2 tog., and

decr. 1 stitch on this edge every row until 2 sts. rem. and fasten off.

LEFT SLEEVE: Work as Right Sleeve from * to * ending on a knit row. Finish as for other sleeve in reverse.

TO FINISH OFF: Press work on the wrong side. Using a small back stitch set in sleeves and saddle shoulder extension, side and sleeve seams and flat seam ribbed edges. Press all seams.

V NECK BAND: Using set of No. 9 needles pick up 48 sts. for Her, 56 sts. for Him, each side of V and 1 centre stitch, 15 sts. on shoulders and 26 sts. for Her, 30 sts. for Him across back neck. Work in rib of K.1, P.1, and decr. 1 stitch each side of centre one stitch on every row for 1¼ ins., then, incr. 1 stitch each side of V on every row for 1¼ ins. Cast off loosely ribwise.

Fold neck band in half to inside and slip stitch down.

CREW NECK BAND: Using a set of No. 9 needles pick up 21 sts. for Her, 25 sts. for Him each side of front neck, 17 (17; 19; 19; 19) centre sts., 15 sts. on each shoulder, 27 sts. for Her, 31 sts. for Him across back neck. Work in rib of K.1, P.1, for 3 ins. Cast off loosely ribwise. Fold neck band in half to inside and slip stitch down.



4 LITTLE CARDIGAN

(See page 8)

MATERIAL: 12 (13; 14; 15; 16) balls Villawool **CELESTE**, or 15 (16; 17; 18; 19) balls Villawool **ARGYLL**, or 15 (16; 17; 18; 19) balls Villawool

SPEEDIKNIT. 1 pr. No. 7 and 9 needles. 8 buttons.

MEASUREMENTS: To fit Bust 32 (34; 36; 38; 40) ins. Length—19½ (19½; 20; 20; 20) ins. Sleeve—12½ ins. (all sizes).

TENSION: 5 sts. to 1 inch.

BACK: Using No. 9 needles cast on 74 (78; 84; 88; 94) sts. and work in rib of K.1, P.1 for 4 ins. Change to No. 7 needles and stocking stitch. Incr. 1 stitch each end of the 5th and every 6th row thereafter until 86 (90; 96; 100; 106) sts. Cont. until work measures 14 ins. Place a marker on centre of work.

Shape Armholes: Cast off 3 (3; 4; 4; 5) sts. at beg. of next 2 rows.

Next row—K.2, K.2 tog., knit to last 4 sts., Sl.1, K.1, p.s.s.o., K.2.

Next row—Purl.

Rep. last 2 rows until 68 (70; 74; 76; 80) sts. rem. Cont. until 6 ins. from marker ending on a purl row.

Shape Neck: K.26 (26; 27; 27; 28) sts., cast off centre 16 (18; 20; 22; 24) sts., K.26 (26; 27; 27; 28) sts. Cont. on last 26 (26; 27; 27; 28) sts. Cast off on neck edge at beg. of every 2nd row 3 sts. 4 times (all sizes) then K.2 tog. every 2nd row 2 (2; 3; 3; 4) times at the same time, when armhole measures $7\frac{1}{2}$ ($7\frac{1}{2}$; 8; 8; 8) ins. ending at armhole edge, shape shoulder. Cast off at beg. of next and alt. rows 6 sts. twice (all sizes). Ret. to rem. sts., join in yarn at neck edge and finish to correspond with other side in reverse.

LEFT FRONT: Using No. 9 needles cast on 43 (45; 48; 50; 53) sts. and work in rib of K.1, P.1, for 4 ins. and cast on 7 sts. at the end of the last row for front facing. Change to No. 7 needles.

Next row—Purl.

Next row—Knit to last 8 sts., slip 1 purlwise, K.7.

Rep. last 2 rows. Incr. on side edge at beg. of the 5th and every 6th row thereafter until 56 (58; 61; 63; 66) sts. Cont. until work measures 14 ins. from beg. ending at side edge.

Shape Armhole: Cast off 3 (3; 4; 4; 5) sts. work to end.

Next row—Purl.

Next row—K.2, K.2 tog., and work to end.

Rep. last 2 rows until 47 (48; 50; 51; 53) sts. rem. Cont. straight until work measures 17 ins. from beg. ending at front edge.

Shape Neck:

Next row—Cast off 22 (23; 24; 25; 26) sts., purl to end.

Next row—Knit.

Cast off at beg. of next row 3 sts. once, then decr. 1 stitch on same edge every row until 17 (17; 18; 18; 19) sts. rem. then, every 2nd row until 14 (14; 15; 15; 16) sts. rem., then every 4th row until 12 sts. (all sizes) rem. Cont. until armhole measures $7\frac{1}{2}$ ($7\frac{1}{2}$; 8; 8; 8) ins. ending at armhole edge.

Shape Shoulder: Cast off at beg. of next and alt. rows 6 sts. twice (all sizes).

RIGHT FRONT: Using No. 9 needles cast on 43 (45; 48; 50; 53) sts. Work in rib of K.1, P.1 for $\frac{7}{8}$ inch.

Next row—Make buttonhole; rib to last 6 sts., cast off 3 sts., rib 3 sts.

Next row—Rib and cast on 3 sts., over cast off 3 sts.

Work 2 ins. and make buttonhole as before. Cont. ribbing until 4 ins. Cont. as for Left Front in reverse and make 8 buttonholes altog. at 2 inch intervals on a purl row as follows:—Purl to last 13 sts., cast off 3 sts., P.5, cast off 3 sts., P.2. On the next row cast on 3 sts., over cast off 3 sts.

SLEEVES: Using No. 9 needles cast on 46 (46; 48; 48; 48) sts. and work in rib of K.1, P.1 for 2 ins. Change to No. 7 needles and stocking stitch. Incr. 1 stitch each end of the 3rd and every 6th row thereafter until 66 (66; 70; 70; 70) sts. Cont. until sleeve measures $12\frac{1}{2}$ ins. ending on the wrong side of work. Cast off 3 sts. at beg. of next 2 rows. Decr. 1 stitch each end of next 3 rows, then every 2nd row until 42 (42; 44; 44; 44) sts. rem., then every row until 36 sts. rem. ending on a purl row. Cast off rem. sts.

TO MAKE UP: Press work on the wrong side. Using a small back stitch sew up shoulder seams. Fold front facing at slip stitch to inside and sew down.

NECK BAND: With right side of work facing and using a spare fine needle pick up 9 sts. over facing, 40 (40; 41; 41; 42) sts. on front neck, 56 (56; 58; 58; 58) sts. across back neck, 40 (40; 41; 41; 42) sts. on left side, 9 sts. over facing. Transfer all sts. onto a No. 9 needle and work in rib of K.1, P.1, making buttonhole as before when 1 inch, 4 sts. in from right front edge and continue ribbing for 2 ins. making buttonhole again to match. Cont. until ribbing measures 4 ins. Cast off ribwise.

TO FINISH OFF: Flat sew basque and cuff ends. Using a small back stitch sew up side and sleeve seams. Set in sleeves. Press seams. Fold neck band, waist ribbing in half to inside and slip stitch down. Sew down front facings, sew on buttons to correspond with buttonholes.

5 CASUAL SWEATER

(See page 9)

MATERIAL: 15 (16; 17; 18) balls Villawool **SPEEDIKNIT**, or 12 (13; 14; 15) balls Villawool **CELESTE**, or 15 (16; 17; 18) balls Villawool **ARGYLL**. 1 pr. No. 6, 7 and 8 needles.



4. Roll up in this cute cardigan with nipped-in-waist and three-quarter sleeves. (Page 6.)

5. The look that refreshes! . . . A free 'n' easy style sweater in a simple pattern stitch. (Turn to page 10.)



MEASUREMENTS: To fit Bust 33 (35; 37; 39) ins. Length—22½ (23; 23½, 24) ins. Sleeve—4 ins. (all sizes).

TENSION: 5 sts. to 1 inch on No. 7 needles.

PATTERN:

1st row—(Right side of work) K.1 (K.2 tog., yarn round needle, P.2), rep. to last stitch, K.1.
2nd row—K.1, purl to last stitch, K.1.
3rd row—K.1 (P.2, yarn round needle, Sl.1, K.1, p.s.s.o.) rep to last stitch, K.1.
4th row—As 2nd row.
Rep. these 4 rows for pattern inclusive.

BACK: Using No. 6 needles cast on 90 (94; 98; 102) sts. Change to No. 8 needles and work 5 rows in stocking stitch. Knit the next row for fold of hem row. Beg. with a knit row, work 8 rows in stocking stitch. Change to No. 7 needles and cont. in patt. until work measures 15 ins. from fold of hem row ending on the 1st row of patt.

Shape Armholes: Keeping patt. in order cast off 2 sts. at beg. of next 8 rows (74; 78; 82; 86 sts.). Cont. in patt. until work measures 6½ (7; 7½; 8) ins. ending on the 3rd row of patt.

Shape Neck: Patt. 24 (25; 26; 27) sts., cast off centre 26 (28; 30; 32) sts. with a No. 6 needle, patt. to end. Cont. on last 24 (25; 26; 27) sts. casting off on neck edge every alt. row 4 sts. twice, 2 sts. twice (all sizes). Work 2 rows on rem. 12 (13; 14; 15) sts. ending at armhole edge.

Shape Shoulders: Cast off 3 (3; 4; 4) sts. at beg. of next and alt. rows. Cast off rem. 6 (7; 6; 7) sts.
Ret. to rem. sts., join in yarn at neck edge and finish to correspond with other side in reverse.


FRONT: Work exactly as Back.

SLEEVES: Using No. 6 needles cast on 66 (70; 74; 78) sts. Change to No. 8 needles and work 3 rows in stocking stitch. Knit the next row for fold of hem row. Beg. with a knit row and work 6 rows in stocking stitch. Cont. in patt. until work measures 2½ ins. from fold of hem row. Change to No. 7 needles and cont. for a further 1½ ins. ending on the 1st row of patt.

Shape Armholes: Cast off at beg. of every row 2 sts. 16 times (all sizes), 4 sts. 4 times (all sizes), 2 (4; 6; 8) sts. twice, 14 sts. once. Cast off with a No. 6 needle.

TO MAKE UP: Press work lightly on the wrong side. Flat sew shoulder, side and sleeve seams. Press seams. Set in sleeves. Turn all hems to inside at fold of hem row and slip stitch down.

NECK BAND: Using No. 9 needles cast on 8 sts. and work in stocking stitch until band is long enough to fit round neck edge. Cast off. Neatly join neck band ends and attach to neck edge with a flat seam, fold to inside and slip stitch down.



6 LADY'S V NECK CARDIGAN WITH RAGLAN OR SET-IN SLEEVES

(See page 13)

MATERIAL: Villawool **SPEEDIKNIT** or Villawool **CELESTE** or Villawool **ARGYLL**.

Raglan Style: 16 (18; 20; 22; 24) balls Villawool **SPEEDIKNIT**. 14 (16; 18; 20; 22) balls Villawool

CELESTE. 16 (18; 20; 22; 24) balls Villawool **ARGYLL**.

Set in Style: 15 (17; 19; 21; 23) balls Villawool **SPEEDIKNIT**. 13 (15; 17; 19; 21) balls Villawool

CELESTE. 15 (17; 19; 21; 23) balls Villawool **ARGYLL**.

1 pr. No. 7 and 9 needles. 6 Buttons.

MEASUREMENTS: To fit Bust 32 (34; 36; 38; 40) ins. Length—21¼ (21½; 22; 22½; 23) ins. Sleeve—17½ ins. (all sizes).

TENSION: 5 sts. to 1 inch.

BACK FOR RAGLAN STYLE: *Using No. 9 needles cast on 82 (88; 94; 100; 106) sts. and work in rib of K.1, P.1, for 2 ins. Incr. 1 stitch each end of the last row. 84 (90; 96; 102; 108) sts. Change to No. 7 needles and stocking stitch. Incr. 1 stitch each end of the 9th and every foll. 8th row until 94 (98; 104; 110; 116) sts. Cont. until work measures 14 ins. (or length required) ending on a purl row.*

Shape Raglan: Cast off 2 (2; 3; 4; 5) sts. at beg. of next 2 rows.

Next row—K.1, Sl.1, K.1, p.s.s.o., knit to last 3 sts., K.2 tog., K.1.

Next row—K.1, purl to last stitch, K.1.*

Rep. last 2 rows until 28 (30; 32; 34; 36) sts. rem. Cast off.

BACK FOR SET-IN SLEEVE STYLE:

Work as for Back for Raglan Style from * to *.

Shape Armhole: Cast off at beg. of next 2 rows 2 (2; 3; 4; 5) sts. twice. Decr. 1 stitch each end of next 3 rows, then every 2nd row 3 (3; 5; 5; 5) times, 78 (82; 82; 86; 90) sts. rem. Cont. until armhole measures $7\frac{1}{2}$ ($7\frac{1}{2}$; $7\frac{3}{4}$; 8; 8) ins. ending on a purl row.

Shape Shoulders: Cast off at beg. of next and every row 8 (8; 8; 9; 9) sts. 4 times, 9 (10; 10; 9; 10) sts. twice, 28 (30; 30; 32; 34) sts. once.

LEFT FRONT FOR RAGLAN STYLE:

Using No. 9 needles cast on 38 (40; 43; 46; 49) sts. and work in rib of P.1, K.1, for 2 ins. Incr. 1 stitch at end of last row. 39 (41; 44; 47; 50) sts. Change to No. 7 needles and work in stocking stitch. Incr. 1 stitch at side edge on the 7th and every foll. 8th row until 43 (45; 48; 51; 54) sts. Cont. in stocking stitch until work measures 14 ins. (or length required) ending on a purl row.

Shape Raglan:

Next row—Cast off 2 (2; 3; 4; 5) sts., knit to end.

Next row—Purl to last stitch, K.1.

Next row—K.1, Sl.1, K.1, p.s.s.o., knit to last 2 sts., K.2 tog.

Cont. raglan shaping and decr. 1 stitch at neck edge every 4th row 9 (10; 11; 11; 12) times more, **at the same time**, cont. raglan shaping until 2 sts. rem., K.2 tog. and fasten off.

RIGHT FRONT FOR RAGLAN STYLE:

Using No. 9 needles cast on 38 (40; 43; 46; 49) sts. and work in K.1, P.1, rib for 2 ins. Incr. 1 stitch at beg. of last row. 39 (41; 44; 47; 50) sts. Change to No. 7 needles and finish to correspond with left front in reverse.

LEFT FRONT FOR SET-IN SLEEVE

STYLE: Work as for Left Front for raglan style from * to *.

Shape Armhole and V Neck:

Next row—Cast off 2 (2; 3; 4; 5) sts., knit to last 2 sts., K.2 tog.

Next row—Purl.

Decr. 1 stitch at armhole edge on the next 3 rows, then every 2nd row 3 (3; 5; 5; 5) times, **at the same time**, decr. 1 stitch on neck edge every 4th row until 25 (26; 26; 27; 28) sts. rem. Cont. until armhole measures $7\frac{1}{2}$ ($7\frac{1}{2}$; $7\frac{3}{4}$; 8; 8) ins. ending at armhole edge.

Shape Shoulder: Cast off at beg. of next and alt. rows 8 (8; 8; 9; 9) sts. twice, 9 (10; 10; 9; 10) sts. once.

RIGHT FRONT FOR SET-IN SLEEVE

STYLE: Work to correspond with Left Front in reverse.

SLEEVES—RAGLAN STYLE:

Using No. 9 needles cast on 40 (42; 44; 48) sts. and work in rib of K.1, P.1, for 3 ins., incr. 1 stitch each end of last row. Change to No. 7 needles and stocking stitch. Incr. 1 stitch each end of the 7th and foll. 6th row until 70 (72; 76; 80; 84) sts. Cont. until sleeve measures $17\frac{1}{2}$ ins. (or length required) ending on a purl row. Shape raglan exactly as Back until 4 sts. rem. Work 2 rows. Cast off.

SLEEVES—SET-IN STYLE:

Work as raglan style sleeve from * to *. Cast off 2 (2; 3; 4; 5) sts. at beg. of next 2 rows. Decr. 1 stitch each end of next 3 rows, then, every 2nd row until 30 (32; 34; 34; 36) sts. rem. Cast off 3 sts. at beg. of next 6 rows, then 12 (14; 16; 16; 18) sts. once.

TO MAKE UP: Press work on the wrong side. Using a flat seam sew up raglan seams. Using a small back stitch sew up shoulders, side and sleeve seams. Set in sleeves, but flat seam the ribbed edges. Press seams.

FRONT BAND:

Using No. 9 needles cast on 9 sts.

1st row—K.2, * P.1, K.1, rep. from * to last stitch, K.1.

2nd row—K.1, * P.1, K.1, rep. from * to end.

Rep. 1st and 2nd rows once.

5th row—K.2, P.1, cast off 2 sts., K.1, P.1, K.2.

6th row—Rib and cast on 2 sts. over cast off 2 sts.

Cont. in rib making buttonhole as before on every 19th and 20th rows 6 times altog. Cont. in rib until band fits round front edges slightly stretched. Cast off ribwise.

Using a small back stitch sew band in position. Sew on buttons to correspond with buttonholes. Press band.



7 MAN'S RAGLAN STYLE SWEATER WITH V OR CREW NECK LINE FOR BOWLS (See back cover)

MATERIAL: Villawool **SPEEDIKNIT.**
V Neck Style: 24 (25; 26; 27) balls.
Crew Neck Style: 25 (26; 27; 28) balls.

or
 Villawool **ARGYLL.**

V Neck Style: 24 (25; 26; 27) balls.
Crew Neck Style: 25 (26; 27; 28) balls.

or
 Villawool **CELESTE.**

V Neck Style: 21 (22; 23; 24) balls.
Crew Neck Style: 22 (23; 24; 25) balls.

1 pr. No. 7 and 10 needles. 1 set No. 10 needles.

MEASUREMENTS: To fit Chest 38 (40; 42; 44) ins. Length—27 ins. (all sizes). Sleeve—20 ins. (all sizes).

TENSION: 5 sts. to 1 inch.

ABBREVIATIONS: Tw.2—Knit into the back of 2nd stitch on left needle, then into 1st stitch, slip both off needle.

BACK: *Using No. 10 needles cast on 105 (111; 115; 121) sts. and work in rib of K.1, P.1, for 2½ ins. Change to No. 7 needles and stocking stitch. Cont. until work measures 17 ins. (or length required) ending on a purl row.

Shape Raglans: Cast off 2 (4; 5; 7) sts. at beg. of next 2 rows.*

Next row—P.2, Tw.2, P.1, Sl.1, K.1, p.s.s.o., knit to last 7 sts., K.2 tog., P.1, Tw.2, P.2.

Next row—K.2, P.2, K.1, purl to last 5 sts., K.1, P.2, K.2.

Rep. last 2 rows until 31 (33; 35; 37) sts. rem. Leave sts. on needle.

FRONT: Work as Back from * to *.

Shape for V Neck:

1st row—P.2, Tw.2, P.1, Sl.1, K.1, p.s.s.o., knit until 48 (49; 50; 51) sts., K.2 tog., turn.

Cont. to shape raglan as on one side of back raglan, **at the same time**, decr. on neck edge every 4th row 15, (16; 17; 18) times altog. and 3 sts. rem. Work 3 sts. tog. and fasten off. Ret. to rem. sts. slip centre 1 stitch onto holder, join in yarn and finish to correspond with other side in reverse.

Shape for Crew Neck:

Work as for Back until 51 (53; 55; 57) sts. rem. in raglan shaping. Purl 1 row.

Next row—P.2, Tw.2, P.1, Sl.1, K.1, p.s.s.o., K.8, turn.

Cont. on these 14 sts. shaping raglan as before, **at the same time**, shape neck edge by decr. 1 stitch every 2nd row 5 times, then, cont. to shape the raglan only until 3 sts. rem. P.3 tog. and fasten off. Ret. to rem. sts. and cast off loosely centre 21 (23; 25; 27) sts. and finish to correspond with other side in reverse.

SLEEVES: Using No. 10 needles cast on 52 (56; 58; 60) sts. and work firmly in rib of K.1, P.1, for 3 ins. and evenly incr. 6 sts. (all sizes) on the last row. Change to No. 7 needles and cont. in stocking stitch and incr. 1 stitch each end of the 5th and every 8th row foll. until 86 (90; 92; 96) sts. Cont. until sleeves measure 20 ins. (or length required) ending on a purl row. Shape raglan as Back until 12 sts. rem. ending on the 2nd row. Next row—P.2, Tw.2, P.1, K.2 tog. P.1, Tw.2, P.2. Cast off.

TO MAKE UP: With wrong side of work facing, press work. Neatly sew up the 4 raglan seams. Using a small back stitch sew up side and sleeve seams.

V NECK BAND: With right side of work facing and using set of No. 10 needles pick up and knit 202 (206; 210; 214) sts. round neck edge, including the centre stitch on holder. Work in rounds of K.1, P.1, decr. 1 stitch each side of centre 1 stitch every round until 1 inch. Work 1 row straight. Cont. in rib of K.1, P.1, incr. 1 stitch at each side of centre 1 stitch for 1 inch. Cast off loosely ribwise. Fold neck band in half to inside and slip stitch down.

CREW NECK BAND: With right side of work facing and using the set of No. 10 needles pick up and knit 112 (116; 120; 124) sts. and work in rib of K.1, P.1, for 2 ins. on these sts. Cast off loosely ribwise. Fold neck band in half to inside and slip stitch down.

Using a small back stitch sew up side and sleeve seams, but flat sew the cuffs and basque seams. Press seams.





6. Teenager — **any**-ager . . . a cardigan buttoned up to V-neck. Sleeves can be raglan-style or set in. (See page 10.)

8 LADY'S CARDIGAN FOR BOWLS

(Illustrated on back cover)

MATERIALS: 22 (23; 24; 25) balls Villawool **SPEEDIKNIT**, or 22 (23; 24; 25) balls Villawool **ARGYLL**, or 18 (19; 20; 21) balls Villawool **CELESTE**. 1 pr. No. 8, 9 and 10 needles. 5 Buttons.

MEASUREMENTS: To fit Bust 34 (36; 38; 40) ins. Length—23½ ins. (all sizes). Sleeve—17 ins. (all sizes).

TENSION: 11 sts. to 2 ins.

ABBREVIATIONS: Tw.2—Knit into the back of 2nd stitch on left needle, then into the 1st stitch, slip both off needle.

BACK: Using No. 10 needles cast on 98 (104; 110; 116) sts. and work in rib of K.1, P.1, for 16 rows. Change to No. 8 needles and stocking stitch. Cont. until work measures 15 ins. (or length required) ending on a purl row.

Shape Raglan: Cast off 2 (3; 4; 5) sts. at beg. of the next 2 rows.

Next row—P.1, Tw.2, P.1, Sl.1, K.1, p.s.s.o., knit to last 6 sts., K.2 tog. P.1, Tw.2, P.1.

Next row—K.1, P.2, K.1, purl to last 4 sts., K.1, P.2, K.1.

Rep. last 2 rows until 30 (32; 34; 36) sts. rem. Cast off.

POCKET LININGS (2): Using No. 8 needles cast on 31 sts. and work in stocking stitch for 30 rows, leave sts. on needle.

LEFT FRONT: Using No. 10 needles cast on 49 (52; 55; 58) sts. and work in rib of K.1, P.1, for 16 rows. Change to No. 8 needles and stocking stitch. Cont. until 30 rows of stocking stitch.

Next row—K.8 (11; 14; 17), slip the next 31 sts. on to a holder, then knit 31 sts. of a pocket lining, knit to end of row.

Cont. until work measures the same as Back to Raglan ending at side edge.

Shape Raglan: Cast off 2 (3; 4; 5) sts. at beg. of the next row, knit to last 2 sts., K.2 tog. Purl 1 row. Shape raglan as Back on every 2nd row 19 times, **at the same time**, decr. 1 stitch on neck edge on the 2nd and every 6th row thereafter until 6 times altog. Cont. to shape raglan as before 13 (14; 15; 16) times more, **at the same time** on neck decr. 1 stitch every 4th row 7 (8; 9; 10) times and 2 sts. rem. Work 2 sts. tog. and fasten off. Mark off 5 buttonholes, the 1st one 4 rows from beg. and the last one 2 rows below the beg. of shaping neck, and 3 others evenly spaced between.

RIGHT FRONT: Work exactly as Left Front in reverse.

SLEEVES: Using No. 10 needles cast on 50 (54; 58; 64) sts. and work firmly in rib of K.1, P.1, for 18 rows. Change to No. 8 needles and stocking stitch. Incr. 1 stitch each end of the 3rd and every 6th row thereafter until 78 (82; 86; 92) sts. Cont. until sleeve measures 17 ins. (or length required) ending on a purl row. Shape raglan exactly as Back until 10 (10; 10; 12) sts. rem. Cast off.

FRONT BAND: Using No. 10 needles cast on 13 sts.

1st row—Sl.1, * P.1, K.1, * rep. to end.

2nd row—Sl.1, * K.1, P.1, * rep. to end.

Rep. these 2 rows inclusive. Work 4 rows from beg.

Next row—Sl.1, rib 4 sts., cast off 3 sts. ribwise, rib 5 sts.

Next row—Sl.1, rib and cast on 3 sts. over cast off 3 sts.

Cont. in rib and make 4 more buttonholes as spaced on left front, then cont. until band fits round front edges slightly stretched.

POCKET TOPS: With right side of work facing, using No. 9 needles work in rib of K.1, P.1, on the 31 sts. for 16 rows. Cast off loosely ribwise.

TO FINISH OFF: Press work on the wrong side. Using a small back stitch sew up raglan seams. Press seams. Sew up side and sleeve seams. Press seams. Sew down pocket linings and pocket tops. Pin front band all round front edges making a nice fit. Attach band. Sew on buttons.

9 MAN'S CARDIGAN FOR BOWLS

(See back cover)

MATERIAL: 27 (28; 30; 32) balls Villawool **SPEEDIKNIT**, or 27 (28; 30; 32) balls Villawool **ARGYLL**, or 21 (23; 25; 27) balls Villawool

CELESTE. 1 pr. No. 8, 9 and 10 needles. 5 Buttons.

MEASUREMENTS: To fit Chest 38 (40; 42; 44) ins. Length—27 (27½, 27½, 27¾) ins. Sleeve—19 ins. (all sizes).

TENSION: 11 sts. to 2 ins.

ABBREVIATION: Tw.2—Knit into the back of 2nd stitch on left needle, then into the 1st stitch, slip both off needle.

BACK: Using No. 10 needles cast on 108 (114; 120; 126) sts. and work in rib of K.1, P.1, for 16 rows. Change to No. 8 needles and stocking stitch. Cont. until work measures 17 ins. (or length required) ending on a purl row.

Shape Raglan: Cast off 4 (5; 6; 7) sts. at beg. of the next 2 rows.
 Next row—P.1, Tw.2, P.1, Sl.1, K.1, p.s.s.o., knit to last 6 sts., K.2 tog., P.1, Tw.2, P.1.
 Next row—K.1, P.2, K.1, purl to last 4 sts., K.1, P.2, K.1.
 Rep. last 2 rows until 30 (32; 34; 36) sts. rem. Cast off.

POCKET LININGS (2): Using No. 8 needles cast on 31 sts. and work in stocking stitch for 32 rows, leave sts. on needle.

LEFT FRONT: Using No. 10 needles cast on 54 (57; 60; 63) sts. and work in rib of K.1, P.1, for 16 rows. Change to No. 8 needles and stocking stitch. Cont. until 32 rows of stocking stitch. Next row—K.11 (14; 17; 21) slip the next 31 sts. on to a holder, then knit 31 sts. of a pocket lining, knit to end of row.
 Cont. until work measures the same as Back to raglan ending at side edge.

Shape raglan: Cast off 4 (5; 6; 7) sts. at beg. of the next row, knit to last 2 sts., K.2 tog. Purl 1 row. Shape raglan as Back on every 2nd row 19 times, **at the same time**, decr. 1 stitch on neck edge on the 2nd and every 6th row thereafter until 6 times altog. Cont. to shape raglan as before 16 (17; 18; 19) times more, **at the same time** on neck edge decr. 1 stitch every 4th row 7 (8; 9; 10) times and 2 sts. rem. Work 2 tog. and fasten off. Mark off 5 buttonholes, the 1st one 4 rows from beg. and the last one 2 rows below the beg. of shaping neck, and 3 others evenly spaced between.

RIGHT FRONT: Work exactly as Left Front in reverse.

POCKET TOPS: With right side of work facing using No. 9 needles work in rib of K.1, P.1 on the 31 sts. for 16 rows. Cast off loosely ribwise.

SLEEVES: Using No. 10 needles cast on 58 (64; 70; 74) sts. and work firmly in rib of K.1, P.1, for 18 rows. Change to No. 8 needles and stocking stitch. Incr. 1 stitch each end of the 3rd and every 6th row thereafter until 86 (92; 98; 102) sts. Cont. until sleeve measures 19 ins. (or length required) ending on a purl row. Shape raglan exactly as Back until 8 (10; 12; 12) sts. rem. Cast off.

FRONT BAND: Using No. 10 needles cast on 13 sts.

1st row—Sl.1, * P.1, K.1, * rep. to end.

2nd row—Sl.1, * K.1, P.1, * rep. to end.

Rep. these 2 rows inclusive. Work 4 rows from beg.

Next row—Sl.1, rib 4 sts., cast off 3 sts. ribwise, rib 5 sts.

Next row—Sl.1, rib and cast on 3 sts. over cast off 3 sts.

Cont. in rib and make 4 more buttonholes as spaced on left front, then cont. until band fits round front edges slightly stretched. Cast off ribwise.

TO FINISH OFF: Press work on the wrong side. Using a small back stitch sew up raglan seams. Press seams. Sew up side and sleeve seams. Press seams. Sew down pocket linings and pocket tops. Pin front band all round front edges making a nice fit. Attach band. Sew on buttons.

ABBREVIATIONS

K. — Knit
 P. — Purl
 Sl. 1 — Slip the stitch
 Sts. — Stitches
 st. st. — Stocking stitch
 p.s.s.o. — Pass slip stitch over
 Ret. — Return
 Rem. — Remain
 Patt. — Pattern

Beg. — Begin
 Incr. — Increase
 Decr. — Decrease
 Tog. — Together
 tbl. — Through back of loop
 ins. — Inches
 W.R.N. — Wool round needle
 W.O.N. — Wool over needle
 W.F. — Wool forward

THE WASHING OF YOUR HANDKNITS

1. To maintain that "good as new" look, wash frequently—overmuch soiling of the garment is difficult to remove in the one wash. Knitteds washed regularly last longer.

2. Use Lux Flakes in lukewarm water, making sure flakes are completely dissolved. Do not soak.

3. Wash quickly, at the same time gently squeezing Lux suds through the garment. Never twist or rub as this could cause "felting."

4. Rinse well in at least two or more changes of lukewarm water until the rinsing water is absolutely clean.

5. Gently squeeze out water, roll on a dry towel and carefully knead out excess moisture and immediately unroll, or alternatively pass through loosely set rollers once only.

6. To dry — place garment on a towel and flat surface and gently bring garment into shape. Dry in shady, breezy place — never in direct sunlight.

7. When quite dry, press garment on the wrong side under a damp cloth using a warm iron.

Published with all rights reserved by
 VILLAWOOD TEXTILE COMPANY
 17 Grosvenor Street, Sydney

Printed by
 THE MARKET PRINTERY PTY. LTD., SYDNEY.



Villawool

BOOK 87

DESIGNS IN 8 PLY SPEEDIKNIT, ARGYLL, CELESTE.